

# Python For Data Science Cheat Sheet

## Pandas Basics

Learn Python for Data Science Interactively at [www.DataCamp.com](http://www.DataCamp.com)



### Pandas

The Pandas library is built on NumPy and provides easy-to-use data structures and data analysis tools for the Python programming language.



Use the following import convention:

```
>>> import pandas as pd
```

### Pandas Data Structures

#### Series

A one-dimensional labeled array capable of holding any data type

a	3
b	-5
c	7
d	4

Index

```
>>> s = pd.Series([3, -5, 7, 4], index=['a', 'b', 'c', 'd'])
```

#### DataFrame

Index	Columns		
	Country	Capital	Population
0	Belgium	Brussels	11190846
1	India	New Delhi	1303171035
2	Brazil	Brasilia	207847528

```
>>> data = {'Country': ['Belgium', 'India', 'Brazil'],
   >>>          'Capital': ['Brussels', 'New Delhi', 'Brasilia'],
   >>>          'Population': [11190846, 1303171035, 207847528]}
>>> df = pd.DataFrame(data,
   >>>                      columns=['Country', 'Capital', 'Population'])
```

### I/O

#### Read and Write to CSV

```
>>> pd.read_csv('file.csv', header=None, nrows=5)
>>> df.to_csv('myDataFrame.csv')
```

#### Read and Write to Excel

```
>>> pd.read_excel('file.xlsx')
>>> pd.to_excel('dir/myDataFrame.xlsx', sheet_name='Sheet1')
Read multiple sheets from the same file
>>> xlsx = pd.ExcelFile('file.xls')
>>> df = pd.read_excel(xlsx, 'Sheet1')
```

### Asking For Help

```
>>> help(pd.Series.loc)
```

### Selection

#### Getting

>>> s['b'] -5	Get one element
>>> df[1:] Country Capital Population 1 India New Delhi 1303171035 2 Brazil Brasilia 207847528	Get subset of a DataFrame

### Selecting, Boolean Indexing & Setting

#### By Position

```
>>> df.iloc[[0], [0]]  
'Belgium'  
>>> df.iat[[0], [0]]  
'Belgium'
```

#### By Label

```
>>> df.loc[[0], ['Country']]  
'Belgium'  
>>> df.at[[0], ['Country']]  
'Belgium'
```

#### By Label/Position

```
>>> df.ix[2]  
Country Brazil  
Capital Brasilia  
Population 207847528
```

```
>>> df.ix[:, 'Capital']  
0 Brussels  
1 New Delhi  
2 Brasilia
```

```
>>> df.ix[1, 'Capital']  
'New Delhi'
```

#### Boolean Indexing

```
>>> s[~(s > 1)]  
>>> s[(s < -1) | (s > 2)]  
>>> df[df['Population'] > 1200000000]
```

#### Setting

```
>>> s['a'] = 6
```

### Also see NumPy Arrays

Get one element

Get subset of a DataFrame

Select single value by row & column

Select single value by row & column labels

Select single row of subset of rows

Select a single column of subset of columns

Select rows and columns

Series s where value is not >1

s where value is <-1 or >2

Use filter to adjust DataFrame

Set index a of Series s to 6

### Dropping

```
>>> s.drop(['a', 'c'])
>>> df.drop('Country', axis=1)
```

Drop values from rows (axis=0)

Drop values from columns (axis=1)

### Sort & Rank

```
>>> df.sort_index()
>>> df.sort_values(by='Country')
>>> df.rank()
```

Sort by labels along an axis

Sort by the values along an axis

Assign ranks to entries

### Retrieving Series/DataFrame Information

#### Basic Information

>>> df.shape	(rows,columns)
>>> df.index	Describe index
>>> df.columns	Describe DataFrame columns
>>> df.info()	Info on DataFrame
>>> df.count()	Number of non-NA values

#### Summary

>>> df.sum()	Sum of values
>>> df.cumsum()	Cummulative sum of values
>>> df.min() / df.max()	Minimum/maximum values
>>> df.idxmin() / df.idxmax()	Minimum/Maximum index value
>>> df.describe()	Summary statistics
>>> df.mean()	Mean of values
>>> df.median()	Median of values

### Applying Functions

```
>>> f = lambda x: x**2
>>> df.apply(f)
>>> df.applymap(f)
```

Apply function  
Apply function element-wise

### Data Alignment

#### Internal Data Alignment

NA values are introduced in the indices that don't overlap:

```
>>> s3 = pd.Series([7, -2, 3], index=['a', 'c', 'd'])
>>> s + s3
a    10.0
b    NaN
c     5.0
d     7.0
```

### Arithmetic Operations with Fill Methods

You can also do the internal data alignment yourself with the help of the fill methods:

```
>>> s.add(s3, fill_value=0)
a    10.0
b    -5.0
c     5.0
d     7.0
>>> s.sub(s3, fill_value=2)
>>> s.div(s3, fill_value=4)
>>> s.mul(s3, fill_value=3)
```

